



Comparo GmbH

Add: Erlengrund 2, 34477 Twistetal, Germany

Tel: +49 151 1159 6345

Email: markus@comparo-gmbh.com

<https://comparo-gmbh.com>



SHOWER TRAY

ABOUT US

Environmentally friendly

Focus on sustainability

Constant innovation

Aiming to inspire

Continuously improving

Our vision is to create aesthetically pleasing high quality bath tubs. We strive to be market leaders on a global scale and via our expert research and technology teams we aim to provide high performance innovative products.

Our production processes are unique in terms of energy efficiency and are environmentally friendly. Our commitment to fully recycle all scrap and waste product are key company goals as we push towards minimising energy consumption and reducing CO2 emissions.

The team at Comparo specialises in private label custom designed products. We offer comprehensive support that includes product design, packaging design, logistics support and in-house mould development and manufacture. Our ability to produce high volume ensures reduced lead times and customer expectations are met.

Comparos unique ECO bathtub ranges are completely stackable. This ensures to reduce the freight cost of each item and underpins our company goal to help to reduce CO2 emissions.

We invite you to contact Comparo as we look for global partners to deal with. We have absolute respect for all relationships and very much look forward to the exciting journey that lies ahead.



CONTENTS



AST010



AST020



AST030



AST060



AST080



AST090



AST120



AST130



AST150



AST180




AST220


TEXTURE



GLOSS



MATT SMOOTH



SLATE




STONE


STANDARD COLOR



CR01



CR02



CR03




CR04



CR05




CR06




CR07

DRAIN COVER




COLOR MATCHED DRAIN COVER IS AN OPTION



DRAIN



PACKAGE




PALLETIZE



INSTALLATION



























LEGSET



REPAIR KIT






 NATURAL MATERIAL	 ANTI-SLIP	 ANTI-BACTERIAL	 UV-RESISTANT	 EASY TO CLEAN	 STAIN-RESISTANT
 VOID FREE & NON POROUS	 HYGIENIC	 WARM TO TOUCH	 ENVIRONMENT PRODUCTION	 SOUND INSULATION	 IMPACT RESISTANT
 SLIM EDGE POSSIBLE TO INSTALL FLOOR LEVEL	 PRECISION	 CUTTABLE	 COLOR OPTION	 REPAIRABLE SURFACE	 WASTE COVER INCLUDES
					



AST020

SHOWER WALL



AST130




AST150

AST010 Range





Width \ Length	Width	
	80cm	90cm
80cm	AST010080080 80x80	-
90cm	AST010080090 80x90	AST010090090 90x90
100cm	AST010080100 80x100	AST010090100 90x100
120cm	AST010080120 80x120	AST010090120 90x120
140cm	AST010080140 80x140	AST010090140 90x140
160cm	AST010080160 80x160	AST010090160 90x160
170cm	AST010080170 80x170	AST010090170 90x170
180cm	-	AST010090180 90x180




THICKNESS: 30~32mm thickness

WASTE



TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVELIBLE COLOR




WASTE: THE FLOW RATE 36 Ltr/min

LEGSET AVAILABLE



CUTTABLE




AST020 Range





Width \ Length	Width	
	80cm	90cm
80cm	AST020080080 80x80	-
90cm	AST020080090 80x90	AST020090090 900x900
100cm	AST020080100 80x100	AST020090100 90x100
120cm	AST020080120 80x120	AST020090120 90x120
140cm	AST020080140 80x140	AST020090140 90x140
160cm	AST020080160 80x160	AST020090160 90x160
170cm	AST020080170 80x170	AST020090170 90x170
180cm	-	AST020090180 90x180



THICKNESS: 28~30mm thickness

WASTE



TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVELIBLE COLOR




WASTE: THE FLOW RATE 36 Ltr/min

LEGSET AVAILABLE



CUTTABLE



AST030 Range





Width \ Length	80cm	90cm
80cm	AST030080080 80x80	-
90cm	AST030080090 80x90	AST030090090 90x90
100cm	AST030080100 80x100	AST030090100 90x100
120cm	AST030080120 80x120	AST030090120 90x120
140cm	AST030080140 80x140	AST030090140 90x140
160cm	AST030080160 80x160	AST030090160 90x160
170cm	AST030080170 80x170	AST030090170 90x170
180cm	-	AST030090180 90x180



THICKNESS: 31~33mm thickness

WASTE




TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVAILABLE COLOR




WASTE: THE FLOW RATE 36 Ltr/min



LEGSET AVAILABLE



CUTTABLE




AST060 Range





Width Length	80cm	
	90cm	
90cm	AST060090080 90x80	AST060090090 90x90
100cm	AST060100080 100x80	AST060100090 100x90
120cm	AST060120080 120x80	AST060120090 120x90
140cm	AST060140080 140x80	AST060140090 140x90
160cm	AST060160080 160x80	AST060160090 160x90
170cm	AST060170080 170x80	AST060170090 170x90
180cm	AST060180080 180x80	AST060180090 180x90



THICKNESS: 32~34mm thickness

WASTE



TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVELIBLE COLOR




WASTE: THE FLOW RATE 34 Ltr/min


LEGSET AVAILABLE



CUTTABLE




AST080 Range





Width \ Length	70cm	80cm	90cm
90cm	AST080070090 70x90	AST080080090 80x90	AST080090090 90x90
100cm	AST080070100 70x100	AST080080100 80x100	AST080090100 90x100
120cm	AST080070120 70x120	AST080080120 80x120	AST080090120 90x120
140cm	AST080070140 70x140	AST080080140 80x140	AST080090140 90x140
160cm	AST080070160 70x160	AST080080160 80x160	AST080090160 90x160
170cm	-	AST080080170 80x170	AST080090170 90x170
180cm	-	-	AST080090180 90x180




THICKNESS: 25~27mm thickness

WASTE



TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVELIBLE COLOR




WASTE: THE FLOW RATE 36 Ltr/min

LEGSET AVAILABLE




CUTTABLE




AST090 Range





Width \ Length	70cm	80cm	90cm
80cm	-	AST090080080 80x80	-
90cm	AST090070090 70x90	AST090080090 80x90	AST090090090 90x90
100cm	AST090070100 70x100	AST090080100 80x100	AST090090100 90x100
120cm	AST090070120 70x120	AST090080120 80x120	AST090090120 90x120
140cm	AST090070140 70x140	AST090080140 80x140	AST090090140 90x140
160cm	AST090070160 70x160	AST090080160 80x160	AST090090160 90x160
170cm	-	AST090080170 80x170	AST090090170 90x170
180cm	-	-	AST090090180 90x180



THICKNESS: 28~30mm thickness

WASTE



TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVAILABLE COLOR




WASTE: THE FLOW RATE 34 Ltr/min

LEGSET AVAILABLE



CUTTABLE




AST120 Range





Width \ Length	70cm	80cm	90cm
80cm	-	AST120080080 80x80	-
90cm	AST120070090 70x90	AST120080090 80x90	AST120090090 90x90
100cm	AST120070100 70x100	AST120080100 80x100	AST120090100 90x100
120cm	AST120070120 70x120	AST120080120 80x120	AST120090120 90x120
140cm	AST120070140 70x140	AST120080140 80x140	AST120090140 90x140
160cm	AST120070160 70x160	AST120080160 80x160	AST120090160 90x160
170cm	-	AST120080170 80x170	AST120090170 90x170
180cm	-	-	AST120090180 90x180




THICKNESS: 29~31mm thickness

WASTE




TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVELIBLE COLOR



CR01



CR02




CR03



CR04



CR05



CR06







CR07

WASTE: THE FLOW RATE 36 Ltr/min





LEGSET AVAILABLE




CUTTABLE



AST130 Range






Width \ Length	70cm	80cm	90cm	100cm
80cm	-	AST130080080R 80x80	-	-
90cm	-	-	AST130090090R 90x90	-
80cm	-	AST130080080 80x80	-	-
90cm	AST130070090 70x90	AST130080090 80x90	AST130090090 90x90	-
100cm	AST130070100 70x100	AST130080100 80x100	AST130090100 90x100	AST130100100
120cm	AST130070120 70x120	AST130080120 80x120	AST130090120 90x120	-
140cm	AST130070140 70x140	AST130080140 80x140	AST130090140 90x140	-
160cm	AST130070160 70x160	AST130080160 80x160	AST130090160 90x160	-
170cm	-	AST130080170 80x170	AST130090170 90x170	-
180cm	-	-	AST130090180 90x180	-

THICKNESS: 28~32mm thickness

WASTE



TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVELIBLE COLOR




WASTE: THE FLOW RATE 34 Ltr/min

LEGSET AVAILABLE




CUTTABLE



AST150 Range










Width \ Length	70cm	80cm	90cm
80cm	-	AST150080080R 80x80	-
90cm	-	-	AST150090090R 90x90
80cm	-	AST150080080 80x80	-
90cm	AST150090070 90x70	AST150090080 90x80	AST150090090 90x90
100cm	AST150100070 100x70	AST150100080 100x80	AST150100090 100x90
120cm	AST150120070 120x70	AST150120080 120x80	AST150120090 120x90
140cm	AST150140070 140x70	AST150140080 140x80	AST150140090 140x90
160cm	AST150160070 160x70	AST150160080 160x80	AST150160090 160x90
170cm	-	AST150170080 170x80	AST150170090 170x90
180cm	-	-	AST150180090 180x90



THICKNESS: 27~30mm thickness

WASTE




TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVELIBLE COLOR





WASTE: THE FLOW RATE 34 Ltr/min

LEGSET AVAILABLE




AST180 Range





Length \ Width	Width	
	80cm	90cm
90cm	-	AST180090090 90x90
100cm	AST180080100 80x100	AST180090100 90x100
120cm	AST180080120 80x120	AST180090120 90x120
140cm	AST180080140 80x140	AST180090140 90x140
160cm	AST180080160 80x160	AST180090160 90x160



THICKNESS: 35~37mm thickness

WASTE



TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVELIBLE COLOR




WASTE: THE FLOW RATE 36 Ltr/min


LEGSET AVAILABLE



CUTTABLE




AST220 Range





Width Length	70cm	80cm	90cm
90cm	AST220090070 90x70	AST220090080 90x80	AST220090090 90x90
100cm	AST220100070 100x70	AST220100080 100x80	AST220100090 100x90
120cm	AST220120070 120x70	AST220120080 120x80	AST220120090 120x90
140cm	AST220140070 140x70	AST220140080 140x80	AST220140090 140x90
160cm	AST220160070 160x70	AST220160080 160x80	AST220160090 160x90
170cm	-	AST220170080 170x80	AST220170090 170x90
180cm	-	-	AST220180090 180x90




THICKNESS: 28~30mm thickness

WASTE




TEXTURE



SLIP RESISTANT: CLASS C DIN51097-1992

AVELIBLE COLOR



CR01



CR02




CR03



CR04



CR05



CR06



CR07

WASTE: THE FLOW RATE 36 Ltr/min

LEGSET AVAILABLE



CUTTABLE

